



Geavet Middle East FZ-LLC

Al Hamra Industrial Zone-FZ, S32-W15

P.O. Box 14644

Ras Al Khaimah – UAE

+(971) 7 244 2643

info@geavet-me.com

Pigeon Health

Species of destination

Pigeons

Description

Nutritional supplement for fancy and racing pigeons specifically developed to improve overall health and to prevent nutritional disorders. It includes a balanced mixture of vitamins, aminoacids and minerals in addition to spirulina and yeasts.

Ingredients

Dextrose, Maize starch, Calcium carbonate, Sacchromyces cerevisiae yeast, Vitamin E, Spirulina algae, Vitamin C, Ascophyllum nodosum, Choline, Citric acid, Eleutherococcus dry extract, Vitamin A acetate, L-arginine, L-lysine, L-methionine, Magnesium oxide, L-taurine, L-threonine, Milk thistle dry extract, Vitamin H, Vitamin B2, Vitamin B6, L-leucine, Vitamin PP, Iron sulphate, L-cysteine, L-histidine, L-phenylalanine, L-tryptophan, L-valine, Vitamin B1, L-isooleucine, Copper sulphate, Vitamin B12, Zinc oxide, Folic acid, Vitamin K, Manganese gluconate, Vitamin D3, Selenium.

Dosage

8 grams to be added to each kg of feed or to each litre of drinking water.



Geavet Middle East FZ-LLC

Al Hamra Industrial Zone-FZ, S32-W15

P.O. Box 14644

Ras Al Khaimah – UAE

+(971) 7 244 2643

info@geavet-me.com

Pigeon Moults

Species of destination

Pigeons

Description

Nutritional supplement for pigeons specifically developed to improve feathers moult and to reduce moulting time. Coadjuvant in the treatment of skin and feathers diseases. It contains adequate levels of vitamins, essential amino acids and minerals for healthier growth.

Ingredients

Dextrose, Maize starch, Calcium carbonate, Greek hay dry extract, Alpha alpha dry extract, L-carnitine, Vitamin C, Vitamin A acetate, Vitamin E, Choline, Citric acid, L-aurine, L-arginine, L-lysine, Magnesium oxide, L-methionine, L-threonine, Vitamin H, Vitamin B2, Vitamin B6, L-leucine, Vitamin PP, Ascophyllum nodosum, Iron sulphate, L-cysteine, L-tryptophan, Vitamin B1, Vitamin B12, L-phenylalanine, L-valine, L-histidine, L-isoleucine, Copper sulphate, Zinc oxide, Folic acid, Vitamin K, Manganese gluconate, Vitamin D3, Selenium.

Dosage

8 grams to be added to each kg of feed or to each litre of drinking water during whole moulting period and all growing period.



Geavet Middle East FZ-LLC

Al Hamra Industrial Zone-FZ, S32-W15

P.O. Box 14644

Ras Al Khaimah – UAE

+(971) 7 244 2643

info@geavet-me.com

Pigeon Power

Species of destination

Pigeons

Description

Nutritional supplement specifically developed for racing pigeons to improve muscular power and to increase the resistance to fatigue. It allows to get the best results during race and a quick recovery after. Ideal in all cases of increased demand of energy (diseases, convalescence, rehabilitation).

Ingredients

Dextrose, Maize starch, Calcium lactate, Creatine, Magnesium oxide, Vitamin C, L-arginine, Eleutherococcus dry extract, L-carnitine, L-isooleucine, L-phenylalanine, Potassium chloride, Vitamin E, Citric acid, Ginkgo biloba dry extract, Guarana dry extract, Vitamin B1, Vitamin B5, Zinc oxide, Selenium.

Dosage

8 grams to be added to each kg of feed or to each litre of drinking water. Start using 7 days prior to the race and stop using 2 days after completion of the race.



Geavet Middle East FZ-LLC

Al Hamra Industrial Zone-FZ, S32-W15

P.O. Box 14644

Ras Al Khaimah – UAE

+(971) 7 244 2643

info@geavet-me.com

Pigeon Breeding

Species of destination

Pigeons

Description

Nutritional supplement specifically developed to improve breeding performances in Pigeons. The high content of aminoacids and vitamin E increases semen production in males while the high level of calcium improves the quality of egg shell.

Ingredients

Dextrose, Maize starch, Calcium carbonate, Vitamin E, L-carnitine, L-arginine, Vitamin A acetate, Eleutherococcus dry extract, L-lysine, Citric acid, Magnesium oxide, Vitamin B2, Vitamin B6, Vitamin PP, L-tryptophan, Vitamin B1, Vitamin B12, Vitamin D3, Selenium.

Dosage

8 grams to be added to each kg of feed or to each litre of drinking water. Start 60 days before estimated breeding time. Stop after eggs are laid.
